

Work Order ID 138994

138994

Page 1

Friday, November 13, 2015 11:37:42 AM

Item ID: D5155-3 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Co-Pilot Collective Head (212)
Start Date: 11/13/2015 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 11/13/2015 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: MLS Date: NOV 17 2015 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D5155	B

100	Cut blanks as per folio	0.00				4	φ		DAS 14 9-83 15/02/17
100									
Bandsaw	Memo	0.00							
Jeaspa Bandsaw	CUT BLANK AT 5.000"								

110		0.00				4	φ		
110									
HAAS 5AXIS	Memo	0.00							
HAAS CNC vertical machine #5	MACHINE AS PER DWG & FOLIO FB349/ D5155-3								
	FOLIO REV: <u>AA</u>								
	DWG REV: <u>B</u>								

DO NOT BUFF OR POLISH PART

DEBURR

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :							
Misidentified	☐	Past Due	☐								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : _____					

Work Order ID 138994***138994***

Page 3

Friday, November 13, 2015 11:37:42 AM

Item ID: D5155-3 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Co-Pilot Collective Head (212)
Start Date: 11/13/2015 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 11/13/2015 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: <u>W/A01</u>	0.00							
160									
Packaging	Memo	0.00							
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.00							
Quality Control									

4 2 16-3-7ML5 FEB 22 2016ML5 FEB 22 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Friday, November 13, 2015 11:37:42 AM

Page 1

Work Order ID: 138994

138994

Parent Item: D5155-3

D5155-3

Parent Item Name: Co-Pilot Collective Head (212)

Start Date: 11/13/2015

Required Date: 11/13/2015

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV.A NEW ISSUE JFS 15/01/14 VERIFIED BY: JLM IPP
REV:B 15.07.02 AS PER DWG REV.B DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B4.500X4.500		Purchased		No		100	f	4.7860	0.417	1.75579			

M6061T6B4 500X4 500

6061-T6 Aluminum Bar 4.500" X 4.500"

Location

Loc Qty

Loc Code

MAT

4.786

m131700

0.9

m132876

3.886

1.8

am 15/02/17

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

ITEM	QTY	P/N	DESCRIPTION
1	X	D5155-041	CO-PILOT COLLECTIVE HEAD ASSEMBLY (205)
2	1	D4410-7	CONDUIT
3	1	D5155-1	CO-PILOT COLLECTIVE HEAD (205)
4	1	D5155-9	CO-PILOT COLLECTIVE HEAD (205)
5	1	D5156-9	BACK PLATE
6	11	90296A108	HELI-COIL INSERT (6-32 X 0.276)
7	2	MS16562-223	SLOTTED SPRING PIN
8	7	MS24693-24B	SCREW, CSK 100"




D5155-041 WELDING DETAIL

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.08 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING

D5155-041 CO-PILOT COLLECTIVE HEAD ASSEMBLY (205)




UNCLAS
NO 138994 MWS
15-11-17

RELEASED
A.P. 2015 JUL 02 ECU 15-577

B	REVISE DIM; ZN D3-7, REVISE NOTE 2; ZN A8-13, A8-14, REVISE LENGTH OF PIN; ZN D6-1, D6-2, D5-3, D6-4, REVISE DEPTH; ZN C7-5, C7-7, C7-9, C7-11, C5-13, C4-14, REVISE DIM; ZN C7-5, C7-7, C7-9, C6-11, B7-13, B7-14, B2-5, B2-7, B2-9, B2-11, C5-13, C4-14, D8-6, D8-8, D8-10, D5-6, D5-8, D5-10, D5-12, B8-7, D7-12, C7-5, C7-7, C7-9, C6-11, D2-13, D2-14	VS	15.05.21
A	NEW ISSUE	VS	14.09.10
REV.	DESCRIPTION	BY	DATE
DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 1 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED

ITEM	QTY	P/N	DESCRIPTION
1	X	D5155-043	CO-PILOT COLLECTIVE HEAD ASSEMBLY (212)
2	1	D4410-7	CONDUIT
3	1	D5155-3	CO-PILOT COLLECTIVE HEAD (212)
4	1	D5155-11	CO-PILOT COLLECTIVE HEAD (212)
5	1	D5156-11	BACK PLATE
6	11	90296A108	HELL-COIL INSERT (8-32 X 0.276)
7	2	MS16562-223	SLOTTED SPRING PIN
8	7	MS24693-24B	SCREW, CSK 100"




D5155-043 WELDING DETAIL

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.20 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING

D5155-043 CO-PILOT COLLECTIVE HEAD ASSY (212)




RELEASED

A. 2015 JUL 02


DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 2 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

ITEM	QTY	P/N	DESCRIPTION
1	X	D5155-045	CO-PILOT COLLECTIVE HEAD ASSEMBLY (EAGLE SINGLE)
2	1	D4410-7	CONDUIT
3	1	D5155-5	CO-PILOT COLLECTIVE HEAD (EAGLE SINGLE)
4	1	D5155-9	CO-PILOT COLLECTIVE HEAD (205)
5	1	D5156-9	BACK PLATE
6	11	90296A108	HELI-COIL INSERT (6-32 X 0.276)
7	2	MS16562-223	SLOTTED SPRING PIN
8	7	MS24693-24B	SCREW, CSK 100°



D5155-045 WELDING DETAIL

0.27



D5155-045 CO-PILOT COLLECTIVE HEAD ASSY (EAGLE SINGLE)

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.06 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING


RELEASED

15 JUL 02

APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 3 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY	P/N	DESCRIPTION
1	X	D5155-047	CO-PILOT COLLECTIVE HEAD ASSEMBLY
2	1	D5054-1	CONDUIT
3	2	D5073-1	SNAP RING
4	1	D5155-7	CO-PILOT COLLECTIVE HEAD (205)
5	1	D5155-9	CO-PILOT COLLECTIVE HEAD (205)
6	1	D5156-9	BACK PLATE
7	11	90296A108	HELI-COIL INSERT (6-32 X 0.276)
8	2	MS16562-223	SLOTTED SPRING PIN
9	7	MS24693-24B	SCREW CSK 100"
10	1	MS27641-3	BEARING




D5155-047 WELDING DETAIL

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.14 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING

**D5155-047 CO-PILOT COLLECTIVE HEAD ASSY
FOR 205 WITH 204-001-290-5 STICK AND THROTTLE ASSEMBLY INSTALLED**







RELEASED

A-9 2015 JUL 02

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 4 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED




A.P. 2015 JUL 02


2) FINISH: NONE
3) TOLERANCES: PER DART Q018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER Q0144.6.3 IN THIS AREA TO MAX DEPTH
OF 0.010 WITH A MIN. TOOL RAD OF R0.010
7) WEIGHT: 0.47 lbs
8) UNDIMENSIONED FEATURES ARE DEFINED BY D6155-1.SLDPRT

APPROVED


DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO	REV. E
MFG. APPR.	JFS	D5155	SHEET 5 OF 11
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PROVIDED IN CONFIDENCE AND IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD	




VIEW B-B
B5-5



SECTION D-D
D6-5



VIEW C-C
D7-5



DETAIL E
B7-5


RELEASED
A2 2015 JUL 02

- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A


D5155-1 CO-PILOT COLLECTIVE HEAD (205)
DETAIL VIEWS

APPROVED	DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	VS		
	CHECKED	RF	DRAWING NO.	REV. B
	MFG. APPR.	JFS	D5155	SHEET 6 OF 14
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE		15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1



VIEW G-G
B6-7



VIEW H-H
D7-7



SECTION I-I
D6-7

RELEASED
A.O. 2015 JUL 02





- NOTES:**
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: N/A

D5155-3 CO-PILOT COLLECTIVE HEAD (212)
DETAIL VIEWS

APPROVED

DESIGN	VS	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 8 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1




A.O. 2015 JUL 02

1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B

- 2) FINISH: NONE
3) TOLERANCES: PER DART Q018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: .005 TO .010 MAX
6) IDENTIFICATION: IDENTIFY PER Q044 6.3 IN THIS AREA TO MAX DEPTH
OF .010 WITH A MIN. TOOL RAD OF R0.010
7) WEIGHT: 0.45 lbs
8) UNDIMENSIONED FEATURES DEFINED BY D5155-5.SLDPRT


D5155-5 CO-PILOT COLLECTIVE HEAD (EAGLE SINGLE)

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D15155 TITLE CO-PILOT COLLECTIVE HEAD COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	REV. E
DRAWN	VS		SHEET 9 OF 11
CHECKED	RF		SCALE
MFG. APPR.	JFS		NTS
APPROVED	HS		
DE APPR.	DS		
DATE	15.05.21		




VIEW K-K

B6-9




SECTION M-M

D8-9



VIEW L-L

D7-9



DETAIL N

B7-9

RELEASED

A.P. 2015 JUL 02

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

D5155-5 CO-PILOT COLLECTIVE HEAD (EAGLE SINGLE)

DETAIL VIEWS


APPROVED

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 10 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



VIEW O-O

B7-11



RELEASED

A.P. 2015 JUL 02

NOTES:

1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3 IN THIS AREA TO MAX DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010

7) WEIGHT: 0.56 lbs

8) UNDIMENSIONED FEATURES DEFINED BY D5155-7.SLDPRT

D5155-7 CO-PILOT COLLECTIVE HEAD (205)

APPROVED




DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D5155 TITLE CO-PILOT COLLECTIVE HEAD COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS RELEASED AND CONFIDENTIALITY IS MAINTAINED BY THE COMPANY AND THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DURING OR CONSEQUENCE OF IT TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF THE DART AEROSPACE LTD.	REV. E
DRAWN	VS		SHEET 11 OF 11
CHECKED	RF		SCALE
MFG. APPR.	JFS		NT
APPROVED	DS		
DE APPR.	HS		
DATE	15.05.21		



- D5155-7 CO-PILOT COLLECTIVE HEAD (205)**
DETAIL VIEWS




APPROVED	DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D5155 TITLE CO-PILOT COLLECTIVE HEAD	REV. B SHEET 12 OF 14 SCALE NTS
	DRAWN	VS		
	CHECKED	RF		
	MFG. APPR.	JFS		
	APPROVED	HS		
	DE APPR.	DS		
	DATE	15.05.21		

COPYRIGHT © 2013 BY DART AEROSPACE LTD
 THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED TO YOU ON THE CONDITION THAT IT IS
 NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
 WRITTEN PERMISSION FROM DART AEROSPACE LTD



VIEW U-U
B7-13

VIEW V-V
B8-13









SECTION W-W
D6-13

RELEASED
4.8. 2015 JUL 02

- NOTES:
- 1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T68
 - 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II
OR IIB CLASS 2
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3 IN THIS AREA TO MAX DEPTH
OF 0.010 WITH A MIN. TOOL RAD OF R0.010
 - 7) WEIGHT: 0.31 lbs
 - 8) ENGRAVE "DART" LOGO AS SHOWN 0.003-0.005 DP
 - 9) UNDIMENSIONED FEATURES DEFINED BY D5155-9.SLDPRT

D5155-9 CO-PILOT COLLECTIVE HEAD (205)

APPROVED	DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	VS		
	CHECKED	RF	DRAWING NO.	REV. B
	MFG. APPR.	JFS	D5155	SHEET 13 OF 14
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	
	DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



RELEASED
A.R. 2015 JUL 02

- NOTES:
- 1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
 - 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II
OR IIB CLASS 2
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3 IN THIS AREA TO MAX DEPTH
OF 0.010 WITH A MIN. TOOL RAD OF R0.010
 - 7) WEIGHT: 0.36 lbs
 - 8) ENGRAVE "DART" LOGO AS SHOWN 0.003-0.005 DP
 - 8) UNDIMENSIONED FEATURES DEFINED BY D5155-11.SLDPRT

D5155-11 CO-PILOT COLLECTIVE HEAD (212)

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5155	SHEET 14 OF 14
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CO-PILOT COLLECTIVE HEAD	NTS
DATE	15.05.21	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DART AEROSPACE LTD		Work Order: 138994
Description: Co-pilot collective head (212)		Part Number: D5155-3
Inspection Dwg: D5155 Rev: B		Page 1 of 1

INSPECTION SHEET

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
1.50	+/- .030	1.500	✓		H-6	31006
1.92	+/- .030	1.915	✓		"	"
1.188	+/- .005	1.188	✓		"	"
φ0.116	+ .004 / - .001	φ0.117	✓		Vern	6A-13
φ0.188 x 100°	+/- .010 X +/- 1/2°	φ0.196 x 100°	✓		"	"
0.227	+/- .010	0.225	✓		"	"
0.33	+/- .030	0.326	✓		"	"
0.06	+/- .030	0.063	✓		D-6	6A-08
0.35	+/- .030	0.350	✓		Vern	6A-13
4.700	+/- .010	4.697	✓		"	"
2.800	+ .010 / - .000	2.801	✓		H-6	31006
1.83	+/- .030	1.832	✓		"	"
R0.19	+/- .030	R0.188	✓		R-6	ref.
0.35	+/- .030	0.351	✓		Vern	6A-13
2.547	+/- .005	2.547	✓		"	"
21°	+/- 1/2°	21°	✓		Angle M.	CNC-17
1.133	+/- .010	1.133	✓		H-6	31006
φ0.125 x .350	+ .004 / - .001 X +/- .010	φ0.126 x .360	✓		Vern	6A-13
R0.25	+/- .030	R0.250	✓		R-6	ref.
1.850	+/- .010	1.849	✓		H-6	31006
2.70	+/- .030	2.698	✓		"	"
2.500	+/- .010	2.499	✓		"	"
2.21	+/- .030	2.203	✓		"	"
R0.30	+/- .030	R0.296	✓		R-6	ref.
0.25	+/- .030	0.252	✓		Mic	118-120
10°	+/- 1/2°	10°	✓		Angle M.	CNC-17
R0.25	+/- .030	R0.250	✓		R-6	ref.
1.00	+/- .030	1.003	✓		H-6	31006
1.350	+/- .010	1.351	✓		"	"
φ0.150	+ .005 / - .001	φ0.153	✓		Vern	6A-13
1.750	+/- .010	1.754	✓		H-6	31006
1.350	+/- .010	1.351	✓		"	"

Measured by: B.n	DAS 9-89	Checked by:	QC Inspector:
Date: 16/01/05	Date: 16-02-19		

Engineering Approval: (If necessary)	Date:
--	--------------

Rev	Date	Change	Revised by	Approved
B	14.07.31	New Issue	KJ	

